


## FELCO 4 - Green

Pruning shear - Good performance - Standard model

Made in Switzerland by FELCO



Available from mid 2014



- > **Reliable:** comfortable, light, sturdy handles made of forged aluminium with a lifetime guarantee\* / blade and riveted anvil blade made of high-quality hardened steel / clean, precise cut / all parts can be replaced
- > **Efficient:** easy cutting adjustment / wire cutting notch / sap groove
- > **Ergonomic:** non-slip coating

## RECOMMENDED FOR

Our recommendation (★ = Recommended, ★★ = Strongly recommended, ★★★ = Best fit)

Viticulture	★★★
Arboriculture	★★★
Horticulture	★★★
Parks and Gardens	★★★
Nursery	★★★
Small hand	★★★
Average-sized hand	★★★
Large hand	★★★
Right-handed	★★★
Left-handed	★★★

## THE POINTS OF EXCELLENCE



### Wire cutting notch

The blades feature a notch that allows for the cutting of small wires without damaging the cutting edge.



### Sap groove

The sap groove prevents the blade sticking when cutting "sappy" wood. It saves time and makes pruning easier by removing sap and debris after each cut.



### Forged aluminum handles

Lightweight, strong and sturdy thanks to special aluminum alloys and advanced precision forging methods. Equipment comes with a lifetime guarantee\*.

**ACCESSORIES**



FELCO 902  
Sharpening tool  
Sharpening stone



FELCO 903  
Sharpening tool  
Sharpener



FELCO 910  
Holster  
Leather - With belt loop and clip



FELCO 910+  
Holster  
Leather - With belt loop and clip



FELCO 912  
Holster  
Leather - With belt clip




FELCO 980  
Maintenance product  
Spray























FELCO 990  
Maintenance product  
Grease

**SPARE PARTS**



FELCO	REF.	Designation	Composition	UCC Barcode
	2/3	Blade	1x 2/3	
	2/3-1	Set	1x 2/3 1x 2/11 1x 2/30	
	2/92B	Kit	1x 2/14 + 1x 2/12B + 2x 2/13	
	4/4	Anvil-blade with rivets	1x 4/4 + 4x 2/7	
	4/90	Kit	1x 4/9 + 1x 4/8	
	2/91	Kit	2x 2/11	
	4/1	Handle without blade	1x 4/1 + 3x 2/5B + 1x 2/10 + 1x 2/12 + 1x 2/13 + 1x 2/14 + 1x 4/35	
	4/2	Handle with anvil-blade	1x 4/2 + 1x 4/4 + 4x 2/7 + 1x 4/36	
	4/35	Coating for blade handle	1x 4/35	

	4/36	Coating for anvil-blade handle	1x 4/36	
	2/5B	Rivet for blade	1x 2/5B	
	2/7	Rivet for anvil-blade	1x 2/7	
	4/8	Bolt	1x 4/8	
	4/9	Nut	1x 4/9	
	2/10	Bush	1x 2/10	
	2/11	White spring	1x 2/11	
	2/12	Thumb catch	1x 2/12	
	2/13	Spring for thumb catch	1x 2/13	
	2/14	Screw for thumb catch	1x 2/14	

## MAINTENANCE



### Cleaning

It is advisable to clean your tool after each use.

If your tool is particularly dirty or subject to rusting after exposure to moisture, do not delay cleaning.



### Oiling

After cleaning, it is advisable to oil the tool so as to protect it from corrosion. The oil will also unjam the tool.



### Sharpening

It is advisable to sharpen your tool at least once a day, but if you feel that your tool is not cutting as well as usual, sharpen it right away!



### Dismantling

It is advisable to dismantle your tool on a regular basis, but at the very latest when it appears to be jammed.

## PARTS REPLACEMENT



### Changing the blade

When the blade and the anvil-blade no longer cross, or when the blade is badly damaged, it is advisable to change it.

Regulate the working of the blade and anvil-blade by adjusting the tightening of the nut. The blade should rub against the anvil-blade over 2/3 of its length.



### Changing the thumb catch

When the thumb catch is damaged and loosens when used, even when the screw is readjusted, change it.



### Changing the plastic coatings for handles

If the coatings are badly damaged, you can replace them.

Soak the coatings for 2 minutes in boiling water - recommended glue: Loctite 415.